



SUPERIOR HAVEN

2017 LED WALL LIGHT SERIES





Item No.	A	B	C	Lamp
DHL-1751	Ø113	208	145	LED COB 5Wx1
DHL-1752	Ø113	236	145	LED COB 5Wx1
DHL-1753	Ø113	263	145	LED COB 5Wx1




- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz





DHL-1754


Item No.	A	B	C	Lamp
DHL-1754	∅140	265	203	LED COB 5Wx1
DHL-1755	∅140	265	203	E27x1
DHL-1756	∅140	295	203	LED COB 5Wx1
DHL-1757	∅140	295	203	E27x1
DHL-1758	∅140	330	203	LED COB 5Wx1
DHL-1759	∅140	330	203	E27x1




- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1756




DHL-1758



DHL-1760


Item No.	A	B	C	Lamp
DHL-1760	∅157	303	220	LED COB 5Wx1
DHL-1761	∅157	303	220	E27x1
DHL-1762	∅157	336	220	LED COB 5Wx1
DHL-1763	∅157	336	220	E27x1
DHL-1764	∅157	378	220	LED COB 5Wx1
DHL-1765	∅157	378	220	E27x1




- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1762



DHL-1764





DHL-1766



Item No.	A	B	C	Lamp
DHL-1766	□80	180	130	LED COB 5Wx1
DHL-1767	□80	198	130	LED COB 5Wx1

- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1767



DHL-1768



Item No.	A	B	C	Lamp
DHL-1768	□100	215	152	LED COB 5Wx1
DHL-1769	□100	235	152	LED COB 5Wx1

- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1769





DHL-1770

Item No.	A	B	C	Lamp
DHL-1770	□120	260	173	LED COB 5Wx1
DHL-1771	□120	260	173	E27x1
DHL-1772	□120	282	173	LED COB 5Wx1
DHL-1773	□120	282	173	E27x1



- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz




DHL-1772



DHL-1774


Item No.	A	B	C	Lamp
DHL-1774	□150	320	215	LED COB 5Wx1
DHL-1775	□150	320	215	E27x1
DHL-1776	□150	345	215	LED COB 5Wx1
DHL-1777	□150	345	215	E27x1






- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1776





DHL-1301D(R)單色 Single Color				
Red	LED	1Wx2	90-260V	50/60Hz
DHL-1301D(G)單色 Single Color				
Green	LED	1Wx2	90-260V	50/60Hz
DHL-1301D(B)單色 Single Color				
Blue	LED	1Wx2	90-260V	50/60Hz
DHL-1301D(Y)單色 Single Color				
Yellow	LED	1Wx2	90-260V	50/60Hz
DHL-1301D(WW)單色 Single Color				
Warm White	LED	1Wx2	90-260V	50/60Hz
DHL-1301D(W)單色 Single Color				
White	LED	1Wx2	90-260V	50/60Hz


照射角度Angle between light beams: 90° , 180°






- 產品特點:

 - 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不鏽鋼材質，強度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等
 - 顏色：沙黑色；
- PRODUCTS CHARACTERS:

 - Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.








DHL-1301T		RGB跳變 RGB(Flash)		
RGB	LED	2W	175-250V	50/60Hz

DHL-1301J		RGB漸變 RGB(Fade)		
RGB	LED	2W	175-250V	50/60Hz

DHL-1301C		RGB程序變化 RGB(Pre-programmed)		
RGB	LED	6W	90-260V	50/60Hz

照射角度Angle between light beams: 90° , 180°



亮燈效果視頻請登陸網站
For video about lighting effect,please visit website.
www.daheng168.com



- 產品特點:

 - 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA：
 - 密封件：高溫矽化橡膠，提高防水防塵效能：
 - 緊固件：不銹鋼材質，強度高，防腐蝕能力強：
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等：
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:

 - Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: acade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.



DHL-1304D(R)		單色 Single Color		
Red	LED	1Wx4	90-260V	50/60Hz




DHL-1304D(G)		單色 Single Color		
Green	LED	1Wx4	90-260V	50/60Hz

DHL-1304D(B)		單色 Single Color		
Blue	LED	1Wx4	90-260V	50/60Hz

DHL-1304D(Y)		單色 Single Color		
Yellow	LED	1Wx4	90-260V	50/60Hz




DHL-1304D(WW)		單色 Single Color		
Warm White	LED	1Wx4	90-260V	50/60Hz

DHL-1304D(W)		單色 Single Color		
White	LED	1Wx4	90-260V	50/60Hz



- 產品特點:
- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不銹鋼材質，强度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色

- PRODUCTS CHARACTERS:
- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.



DHL-1302D(R)					單色 Single Color
Red	LED	1Wx3	90-260V	50/60Hz	

DHL-1302D(G)					單色 Single Color
Green	LED	1Wx3	90-260V	50/60Hz	





DHL-1302D(B)					單色 Single Color
Blue	LED	1Wx3	90-260V	50/60Hz	

DHL-1302D(Y)					單色 Single Color
Yellow	LED	1Wx3	90-260V	50/60Hz	

DHL-1302D(WW)					單色 Single Color
Warm White	LED	1Wx3	90-260V	50/60Hz	


DHL-1302D(W)					單色 Single Color
White	LED	1Wx3	90-260V	50/60Hz	

照射角度Angle between light beams: 90° . 180°



- 產品特點:
- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不銹鋼材質，強度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色



- PRODUCTS CHARACTERS:
- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.



- 產品特點:

 - 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA：
 - 密封件：高溫矽化橡膠，提高防水防塵效能：
 - 緊固件：不銹鋼材質，强度高，防腐蝕能力強：
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等：
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:

 - Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.







DHL-1302T		RGB跳變 RGB(Flash)		
RGB	LED	3W	175-250V	50/60Hz


DHL-1302J		RGB漸變 RGB(Fade)		
RGB	LED	3W	175-250V	50/60Hz

DHL-1302C		RGB程序變化 RGB(Pre-programmed)		
RGB	LED	7W	90-260V	50/60Hz

照射角度Angle between light beams: 90°、180°

亮燈效果視頻請登陸網站
For video about lighting effect,please visit website.
www.daheng168.com







產品特點:

- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
- 透光罩：PMMA；
- 密封件：高溫矽化橡膠，提高防水防塵效能；
- 緊固件：不鏽鋼材質，强度高，防腐蝕能力強；
- 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
- 顏色：沙黑色

PRODUCTS CHARACTERS:

- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
- Diffuser: PMMA.
- Gasketing: Made of thermostable silica gel to improve protection class.
- Fastener: Made of stainless steel with high intensity and corrosion protection.
- Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
- Finish: Matt black as standard.Matt grey, Matt coffee,Matt black,Dark grey, Dark bronze any other RAL color is available upon request.










DHL-1310		RGB跳變 RGB(Flash)		
RGB	LED	5W	175-250V	50/60Hz

DHL-1311		RGB漸變 RGB(Fade)		
RGB	LED	5W	175-250V	50/60Hz

DHL-1312		RGB程序變化 RGB(Pre-programmed)		
RGB	LED	13W	90-260V	50/60Hz

亮燈效果視頻請登陸網站
For video about lighting effect,please visit website.
www.daheng168.com










DHL-1303D(R)單色 Single Color				
Red	LED	1Wx3	90-260V	50/60Hz
DHL-1303D(G)單色 Single Color				
Green	LED	1Wx3	90-260V	50/60Hz
DHL-1303D(B)單色 Single Color				
Blue	LED	1Wx3	90-260V	50/60Hz
DHL-1303D(Y)單色 Single Color				
Yellow	LED	1Wx3	90-260V	50/60Hz
DHL-1303D(WW)單色 Single Color				
Warm White	LED	1Wx3	90-260V	50/60Hz
DHL-1303D(W)單色 Single Color				
White	LED	1Wx3	90-260V	50/60Hz




- 產品特點:
- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不銹鋼材質，强度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:
- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.






DHL-1303T		RGB跳變 RGB(Flash)		
	RGB	LED	3W	175-250V 50/60Hz
DHL-1303J		RGB漸變 RGB(Fade)		
	RGB	LED	3W	175-250V 50/60Hz
DHL-1303C		RGB程序變化 RGB(Pre-programmed)		
	RGB	LED	9W	90-260V 50/60Hz

亮燈效果視頻請登陸網站
For video about lighting effect,please visit website.
www.daheng168.com




RGB跳變(Flash)/漸變(Fade)



RGB跳變(Flash)/漸變(Fade)



RGB跳變(Flash)/漸變(Fade)





RGB程序變化(Pre-programmed)

- 產品特點:

 - 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不銹鋼材質，强度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:

 - Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.









DHL-1304T		RGB跳變 RGB(Flash)		
RGB	LED	4W	175-250V	50/60Hz

DHL-1304J		RGB漸變 RGB(Fade)		
RGB	LED	4W	175-250V	50/60Hz

DHL-1304C		RGB程序變化 RGB(Pre-programmed)		
RGB	LED	10W	90-260V	50/60Hz

亮燈效果視頻請登陸網站
For video about lighting effect,please visit website.
www.daheng168.com





DHL-1305(R)		單色 Single Color		
● Red	LED	1Wx4	90-260V	50/60Hz




DHL-1305(G)		單色 Single Color		
● Green	LED	1Wx4	90-260V	50/60Hz

DHL-1305(B)		單色 Single Color		
● Blue	LED	1Wx4	90-260V	50/60Hz

DHL-1305(Y)		單色 Single Color		
● Yellow	LED	1Wx4	90-260V	50/60Hz

DHL-1305(WW)		單色 Single Color		
● Warm White	LED	1Wx4	90-260V	50/60Hz



DHL-1305(W)		單色 Single Color		
○ White	LED	1Wx4	90-260V	50/60Hz



- 產品特點:

 - 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不鏽鋼材質，强度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:

 - Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.



DHL-1313(R)		單色 Single Color		
● Red	LED	1Wx8	90-260V	50/60Hz

DHL-1313(G)		單色 Single Color		
● Green	LED	1Wx8	90-260V	50/60Hz

DHL-1313(B)		單色 Single Color		
● Blue	LED	1Wx8	90-260V	50/60Hz




DHL-1313(Y)		單色 Single Color		
● Yellow	LED	1Wx8	90-260V	50/60Hz


DHL-1313(WW)		單色 Single Color		
● Warm White	LED	1Wx8	90-260V	50/60Hz

DHL-1313(W)		單色 Single Color		
○ White	LED	1Wx8	90-260V	50/60Hz







- 產品特點:
- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不鏽鋼材質，强度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:
- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.








DHL-1306		RGB跳變 RGB(Flash)		
 RGB	LED	4W	175-250V	50/60Hz
DHL-1307		RGB漸變 RGB(Fade)		
 RGB	LED	4W	175-250V	50/60Hz
DHL-1308		RGB程序變化 RGB(Pre-programmed)		
 RGB	LED	12W	90-260V	50/60Hz

亮燈效果視頻請登陸網站
For video about lighting effect,please visit website.
www.daheng168.com



- 產品特點:
- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不鏽鋼材質，強度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:
- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.



DHL-1309(R)		單色 Single Color		
● Red	LED	1Wx5	90-260V	50/60Hz

DHL-1309(G)		單色 Single Color		
● Green	LED	1Wx5	90-260V	50/60Hz

DHL-1309(B)		單色 Single Color		
● Blue	LED	1Wx5	90-260V	50/60Hz

DHL-1309(Y)		單色 Single Color		
● Yellow	LED	1Wx5	90-260V	50/60Hz


DHL-1309(WW)		單色 Single Color		
● Warm White	LED	1Wx5	90-260V	50/60Hz




DHL-1309(W)		單色 Single Color		
○ White	LED	1Wx5	90-260V	50/60Hz



- 產品特點:
- 燈體材質: 優質鋁壓鑄成型, 經防腐處理后, 采用防UV靜電粉末噴塗
 - 透光罩: PMMA;
 - 密封件: 高溫矽化橡膠, 提高防水防塵效能;
 - 緊固件: 不鏽鋼材質, 強度高, 防腐蝕能力強;
 - 適用場所: 景觀亮化、建築外牆、別墅、公園、小區花園、酒店等;
 - 顏色: 沙黑色

- PRODUCTS CHARACTERS:
- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.






DHL-1314		RGB跳變 RGB(Flash)		
 RGB	LED	8W	175-250V	50/60Hz


DHL-1315		RGB漸變 RGB(Fade)		
 RGB	LED	8W	175-250V	50/60Hz

DHL-1316		RGB程序變化 RGB(Pre-programmed)		
 RGB	LED	24W	90-260V	50/60Hz


亮燈效果視頻請登陸網站
For video about lighting effect,please visit website.
www.daheng168.com




RGB跳變(Flash)/漸變(Fade)



RGB程序變化(Pre-programmed)



RGB程序變化(Pre-programmed)






RGB程序變化(Pre-programmed)

- 產品特點:

 - 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不鏽鋼材質，強度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:


 - Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey ,Dark bronze any other RAL color is available upon request.




DHL-1317(R)					單色 Single Color
Red	LED	1Wx9	90-260V	50/60Hz	
DHL-1317(G)					單色 Single Color
Green	LED	1Wx9	90-260V	50/60Hz	
DHL-1317(B)					單色 Single Color
Blue	LED	1Wx9	90-260V	50/60Hz	
DHL-1317(Y)					單色 Single Color
Yellow	LED	1Wx9	90-260V	50/60Hz	
DHL-1317(WW)					單色 Single Color
Warm White	LED	1Wx9	90-260V	50/60Hz	
DHL-1317(W)					單色 Single Color
White	LED	1Wx9	90-260V	50/60Hz	



- 產品特點:
- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
 - 透光罩：PMMA；
 - 密封件：高溫矽化橡膠，提高防水防塵效能；
 - 緊固件：不鏽鋼材質，強度高，防腐蝕能力強；
 - 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
 - 顏色：沙黑色
- PRODUCTS CHARACTERS:
- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
 - Diffuser: PMMA.
 - Gasketing: Made of thermostable silica gel to improve protection class.
 - Fastener: Made of stainless steel with high intensity and corrosion protection.
 - Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
 - Finish: Matt black as standard.Matt red, Matt coffee,Matt grey,Dark grey,Dark bronze any other RAL color is available upon request.







產品特點:

- 燈體材質：優質鋁壓鑄成型，經防腐處理后，采用防UV靜電粉末噴塗
- 透光罩：PMMA；
- 密封件：高溫硅化橡膠，提高防水防塵效能；
- 緊固件：不銹鋼材質，強度高，防腐蝕能力強；
- 適用場所：景觀亮化、建築外牆、別墅、公園、小區花園、酒店等；
- 顏色：沙灰色

PRODUCTS CHARACTERS:

- Body: Made of high quality die-cast aluminum with treatment of corrosion protection and UV-proof powder coating.
- Diffuser: PMMA.
- Gasketing: Made of thermostable silica gel to improve protection class.
- Fastener: Made of stainless steel with high intensity and corrosion protection.
- Application: Facade lighting, wall of buildings,villas,parks,gardens,hotels and so on.
- Finish: Matt grey as standard.Matt red, Matt coffee,Matt black,Dark grey, Dark bronze any other RAL color is available upon request.




DHL-1318		RGB跳變 RGB(Flash)		
RGB	LED	9W	175-250V	50/60Hz

DHL-1319		RGB漸變 RGB(Fade)		
RGB	LED	9W	175-250V	50/60Hz


DHL-1320		RGB程序變化 RGB(Pre-programmed)		
RGB	LED	25W	90-260V	50/60Hz

亮燈效果視頻請登陸網站


For video about lighting effect,please visit website.
www.daheng168.com




RGB跳變(Flash)/漸變(Fade)



RGB程序變化(Pre-programmed)



RGB程序變化(Pre-programmed)




RGB程序變化(Pre-programmed)




DHL-1330

Item No.	A	B	C	Lamp
DHL-1330	110	121	67	LED 1Wx1
DHL-1331	110	121	67	LED 1Wx1

- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz




DHL-1331




DHL-1332

Item No.	A	B	C	Lamp
DHL-1332	105	105	92	LED 1Wx4
DHL-1333	109.5	109.5	94	LED 1Wx2

- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1333







DHL-1671

Item No.	A	B	C	Lamp
DHL-1671	Ø113	110	164	LED COB 10Wx1

- 優質鋁製品 Cast aluminum body
- 透明玻璃燈罩 Clear glass
- 3000/6000K 90-260V 50/60Hz







DHL-1672

Item No.	A	B	C	Lamp
DHL-1672	Ø113	210	164	LED COB 10Wx2

- 優質鋁製品 Cast aluminum body
- 透明玻璃燈罩 Clear glass
- 3000/6000K 90-260V 50/60Hz









DHL-1321

Item No.	A	B	C	Lamp
DHL-1321	85	140	74	LED 1Wx2
DHL-1322	57	87	47	LED 1Wx1

- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz




DHL-1322




DHL-1323

Item No.	A	B	C	Lamp
DHL-1323	160	85	160	LED 1Wx8
DHL-1324	125	70	125	LED 1Wx4

- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1324








DHL-1334

Item No.	A	B	C	Lamp
DHL-1334	123	114	Ø92	LED 3Wx2
DHL-1335	123	89	Ø92	LED 3Wx1

- 優質鋁製品 Cast aluminum body
- 透明玻璃燈罩 Clear glass
- 3000/6000K 90-260V 50/60Hz




DHL-1335




DHL-1336

Item No.	A	B	C	Lamp
DHL-1336	141	103	□88	LED 3Wx2
DHL-1337	141	89	□88	LED 3Wx1

- 優質鋁製品 Cast aluminum body
- 透明玻璃燈罩 Clear glass
- 3000/6000K 90-260V 50/60Hz



DHL-1337






DHL-1401



DHL-1402

Item No.	A	B	C	Lamp
DHL-1401	□50	160	100	LED 3Wx1
DHL-1402	□50	250	100	LED 3Wx1

- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz








DHL-1403



DHL-1404

Item No.	A	B	C	Lamp
DHL-1403	□50	105	100	LED 3Wx1
DHL-1404	□50	148	100	LED 3Wx2


- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz





DHL-1405


Item No.	A	B	C	Lamp
DHL-1405	ø92	121	124	LED 3Wx1
DHL-1406	ø60	107	106	LED 3Wx1
DHL-1407	ø60	130	106	LED 3Wx2




- 優質鋁製品 Cast aluminum body
- 透明玻璃燈罩 Clear glass
- 3000/6000K 90-260V 50/60Hz



DHL-1406



DHL-1407



DHL-1408




DHL-1409




DHL-1410

Item No.	A	B	C	Lamp
DHL-1408	ø92	190	123	LED 3Wx1
DHL-1409	ø92	206	123	LED 3Wx1
DHL-1410	ø92	229	123	LED 3Wx1



- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz





DHL-1411

Item No.	A	B	C	Lamp
DHL-1411	∅60	168	106	LED 3Wx1
DHL-1412	∅60	178	106	LED 3Wx1
DHL-1413	∅60	200	106	LED 3Wx1



- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1414


Item No.	A	B	C	Lamp
DHL-1414	∅60	225	106	LED 3Wx1
DHL-1415	∅60	237	106	LED 3Wx1
DHL-1416	∅60	259	106	LED 3Wx1



- 優質鋁製品 Cast aluminum body
- 透光罩 PMMA
- 3000/6000K 90-260V 50/60Hz



DHL-1412



DHL-1415



DHL-1416





*Exceptional Creativity, Timeless Elegance &
Dynamic Quality*



SUPERIOR.HAVEN



SUPERIOR_HAVEN



TEL NO. (02)802 01 67
(0917)3151146



WWW.SUPERIORHAVEN.COM

SALES01@SUPERIORHAVEN.COM
SUPERIORHAVEN@GMAIL.COM
RUSSELLUCKY@YAHOO.COM



UNIT 308 MAKATI
EXECUTIVE CENTER
LEVISTE ST. COR.
RUFINO ST.,
SALCEDO VILLAGE
MAKATI CITY

products offered:

- HOTEL FURNITURE
- MODULAR
- KITCHEN
- WARDROBE AND CABINETS
- SANITARY WARE
- GARDEN FURNITURE

- BARBER SUPPLIES
- SALON AND SPA
- OUTDOOR FURNITURE
- JACUZZI
- STEAM BATH AND SAUNA
- WALLPAPERS

- OFFICE FURNITURE
- LIGHTS
- MINIATURES
- KITCHEN EQUIPMENT
- TILES